

BODY SPRAY against UV damages (SOLI-001-02)

Phase	Material name	Inci	Supplier	Properties	% Material
A	DEMINERALIZED WATER	AQUA (WATER)	-	-	72,9
	DISSOLVINE NA2	DISODIUM EDTA	AKZO NOBEL	chelating agent	0,2
	MICROCARE SB	AQUA (WATER) (AND) SODIUM BENZOATE (AND) POTASSIUM SORBATE	THOR	preservative	1
	GLYCERIN	GLYCERIN	OLEON	humectant	2
	XANTHAN GUM	XANTHAN GUM	GREENTECH	gelling agent	0,4
B	EASYNOV	OCTYLDODECANOL (AND) OCTYLDODECYL XYLOSIDE (AND) PEG-30 DIPOLYHYDROXYSTEARATE	SEPPIC	emulsifier/ Geltrap technologie	1
C	CAMELINA OIL LP C00002 (710093)	CAMELINA SATIVA SEED OIL	GREENTECH	emolient/ moisturizing	1
	ULVINUL EASY	DIBUTYL ADIPATE (AND) DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (AND) ETHYLHEXYL METHOXYCINNAMATE (AND) LAURETH-7 CITRATE (AND) POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (AND) ETHYLHEXYL TRIAZONE (AND) BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL (AND) TRIAZINE (AND) LAURYL GLUCOSIDE (AND) TRIETHANOLAMINE	BASF	UV filter	16
D	SOLIBERINE NAT (001173)	AQUA (WATER) (AND) PROPANEDIOL (AND) BUDDLEJA OFFICINALIS FLOWER EXTRACT	GREENTECH	photoprotection	0,3
E	ACUSOL OP 301	STYRENE/ACRYLATES COPOLYMER	DOW CHEMICAL COMPANY	opacifier	5
F	PERFUME	PARFUM (FRAGRANCE)	-	perfume	0,2
					100

OPERATING INSTRUCTIONS

- Disperse Disodium EDTA , Microcare SB. Mix 2 min
 - Add Glycerin. Mix 2 min
 - Add Xanthan Gum and mix until the gel formation
 - Heat to 75°C
 - Add B and mix 5 min under strong homogénisation
 - Add C and mix 5 min
 - Add D and mix 5 min
 - Add E , F and G and mix 5 min
- Finally add the perfume. Mix 2 min
pH: 5,20

Warning: The company cannot assume any liability or risk involved in the use of its products since the conditions of use are beyond our control. We assume no responsibility concerning the formulations which are brought to the market and which contain one or several of our products. It is incumbent to the formulators to take all necessary precautions and, in particular, to comply with all required legal and regulatory steps and formalities